

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5758087".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:07
L2	7	("5758087").URPN.	USPAT	OR	OFF	2005/10/14 13:07
L3	0	("5758087").URPN. and statement\$1	USPAT	OR	OFF	2005/10/14 13:08
L4	4	("5758087").URPN. and predict\$3	USPAT	OR	OFF	2005/10/14 13:08
L5	10	("4931935" "4984264" "5278963" "5331613" "5341477" "5367643" "5389773" "5406643" "5430840" "5613155").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 13:11
L6	1	("4931935" "4984264" "5278963" "5331613" "5341477" "5367643" "5389773" "5406643" "5430840" "5613155").PN. and statement\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 13:12
L7	7	("4931935" "4984264" "5278963" "5331613" "5341477" "5367643" "5389773" "5406643" "5430840" "5613155").PN. and predict\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 13:12
S1	2486	predict\$4 near12 command\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:01
S2	4924	receiv\$4 near15 statement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:02
S3	332	receiv\$4 near15 statement\$1 and match\$3 near15 statement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:02

S4	73	receiv\$4 near15 statement\$1 and match\$3 near15 statement\$1 and predict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:03
S5	40	receiv\$4 near15 statement\$1 and match\$3 near15 statement\$1 and predict\$4 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:11
S6	7	match\$3 near15 statement\$1 and predict\$4 near15 statement\$1 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:14
S7	172	predict\$4 near15 statement\$1 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:14
S8	77	predict\$4 near15 statement\$1 and match\$3 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:36
S9	3	predict\$4 near15 statement\$1.ab. and match\$3 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:14
S10	8	receiv\$3 near15 statement\$1 same predict\$4 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:39
S11	299	receiv\$3 near15 statement\$1 and predict\$4 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 15:40

S12	293	S11 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:20
S13	25	predict\$3 near15 (instruction or command) near15 statement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 16:21
S14	19	predict\$3 near15 (instruction or command) near15 statement\$1 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:26
S15	2	"5664173".pn. and statement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:28
S16	37	execut\$3 near15 command\$1 near15 receiv\$3 near15 statement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:30
S17	0	execut\$3 near15 command\$1 near15 receiv\$3 near15 statement\$1 and predict\$3 near15 command\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:29
S18	3	execut\$3 near15 command\$1 near15 receiv\$3 near15 statement\$1 and predict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:30
S19	1	predict\$3 near15 command\$1 near15 receiv\$3 near15 statement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:29

S20	293	predict\$3 near15 command\$1 near15 receiv\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:30
S21	14	predict\$3 near15 command\$1 near15 receiv\$3 and statement\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:31
S22	20	execut\$3 near15 command\$1 near15 receiv\$3 near15 statement\$1 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:35
S23	0	S18 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:31
S24	20	S22 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:31
S25	8	predict\$3 near15 command\$1 near15 receiv\$3 and statement\$1 and (@ad<"20010511" or @rlpd<"20010511")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 17:31
S26	2	"5758087".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/11 18:18
S27	7	("5758087").URPN.	USPAT	OR	OFF	2005/10/11 18:18